



NOTICE OF MEETING
LEDGEVIEW SANITARY DISTRICT #2

Notice is hereby given that the Commissioners of Ledgeview Sanitary District #2 will meet at **6:00 p.m.**, on **Wednesday, February 4, 2015** at the Municipal Building located at 3700 Dickinson Road. The agenda is as follows:

1. **Call the meeting to order.**
2. **Roll call.**
3. **Approve or amend the agenda.**
4. **Act on minutes:** January 7, 2015.
5. **Public Comment.**
6. **Requests from property owners, customers, other:** None.
7. **Mead & Hunt, Inc. – Award Projects, Pay Requests, Project Updates, Change Orders:**
 - a. Radue – Reserve at Meadow Ridge – on hold until spring.
 - b. GV10 – sewer/water extensions, adjustments and road reconstruction.
 - *Pay Request #2 to PTS for Contract C-2014.
 - *Change Order #1 to Contract C-2014.
 - *Set Public Hearing date for revised assessments.
 - c. Belle Isle Meadows.
 - d. Misc. updates.
8. **Systems Operation.**
 - a. Misc. updates.
9. **Clerk/Treasurer.**
 - a. 2015 interest rate on new special assessments.
 - b. Misc. updates.
10. **Act on vouchers** – payments since January 7, 2015.
11. **Adjourn.**

Signed, dated and posted: January 29, 2015.

Luann M. Pansier
Secretary/Treasurer

Notice is hereby given that the Ledgeview Sanitary District Commissioners may take action on any specific item listed within this agenda. Where citizens provide input to the Ledgeview Sanitary District Commission on items not specifically listed within this agenda, the only appropriate action is referral to a Committee or to a subsequent Sanitary District meeting. Any person wishing to attend who, because of disability, requires special accommodations should contact the District Clerk at (920) 336-3360, 3700 Dickinson Road, at least 48 hours prior to the meeting so arrangements can be made. Attachments or other documents referenced in this agenda are available for view or copying at the Ledgeview Town Office, 3700 Dickinson Road, De Pere, during normal business hours, or by contacting the Clerk at (920) 336-3360.